

LA-UR-21-29452

Approved for public release; distribution is unlimited.

External Release of Organic Scintillator DRiFT Software - Technology Evaluation and Demonstration Project Accomplishments Title:

Author(s): Andrews, Madison Theresa

Mullen, Austin Daniel

Woldegiorgis, Surafel Fantaye

Rising, Michael Evan

Intended for: Report

Issued: 2021-09-24





External Release of Organic Scintillator DRiFT Software Technology Evaluation and Demonstration Project Accomplishments

Madison Andrews^{1*}, Austin Mullen², Surafel Woldegiorgis¹, Michael Rising³

¹XCP-7: Radiation Transport Applications, XCP Division, *PI: Madison@lanl.gov

²UC Berkeley, Department of Nuclear Engineering

³XCP-3: Monte Carlo Codes, XCP Division

September 24, 2021

Overview and Objectives

- DRiFT post processes radiation transport output from MCNP, and generates realistic nuclear instrumentation response.
- Organic scintillator response has been developed, tested, and validated with measurements, these instruments are widely used in nuclear safeguards.
- At the beginning of this project, DRiFT was only available to LANL employees with access to yellow High Performance Computing clusters.
 - Additionally, there are many complicated external software dependencies
- Our TED project request proposed using funds to:
 - Comment and clean up code, friendly testing, generating test suites and examples
 - Expansion of scintillator types natively supported by DRiFT
 - External release of DRiFT accompanied by documentation
- We accomplished all objectives (and many others), they are highlighted in these slides.
 - A significant portion of this work was performed by Austin Mullen, a 2021 Keepin Nonproliferation Summer school participant and XCP-7 Graduate Research Assistant.



DETECTOR PHYSICS

- Natively supported scintillator, PMT, and digitizer models
- New pulse shape capability
- Ability for users to define their own instrumentation response.

ADVERTISEMENT

- Release of DRiFT manual (with LA-UR) externally (ResearchGate)
- Submission of paper for consideration by Journal of Nuclear Material Management (paper in RASSTI)
- Email to colleagues in NEN, P, XCP describing DRiFT capabilities.

END USER
LISCENCE
AGREEMENT

DOCUMENTATION

- Manual describing detector physics, test suites, and diagnostics features of DRiFT
- README for obtaining and installing DRiFT executable

DIAGNOSTICS

• Flagging pile-up, cross talk, room return and other relevant features, (developed for a separate FY21 MFR project, however incorporated in the release).

EXTERNAL DRIFT RELEASE

SOFTWARE ENHANCEMENTS

- Test suites, unit tests and examples
- Incorporating code enhancements into exe

LINUX OS EXECUTABLE

- Removal of all HPC and external dependencies.
- Statically linking necessary libraries.
- Install/use instructions
- Friendly testing at LANL prior to release

After Release:

Interested External User:

- Contacts DRiFT lead
- Once approved by FCI, DRiFT leads can release code directly to user.



Expansion of Scintillator and PMT Physics Options


- Before this project, only one PMT and scintillator type were natively supported by DRiFT.
 - To add a new detector or PMT the user would need to modify source code.
- Scintillator and PMT types supported natively by DRiFT were expanded to 17 and 13 instrument models respectively.
 - Additionally, the user can now add their own response without modifying source code.
 - The release contains instructions and examples.
- 7 natively supported digitizers, relevant to nuclear safeguards instrumentation were added
 - This saves the user from having track down technical specifications including resolution, termination resistance, sampling rates etc.

|--|

Name	Keywords	Options
[Scintillation]		
	call	Scintillation
	detector	Scintillator name, ej. EJ301
	optical_transport	double, default 0.6
	voltage	double, 1500 V, PMT voltage
.	pmt_type	PMT name, i.e. 9821B
	max_energy	double, 25.0 MeV default
	gain	double, default set by PMT voltage and model
	scint_yield	double, default set by scintillator type
	PE_file	filename of scintillator emission spectrum
	QE_file	filename of PMT quantum efficiency spectrum
	light_file	filename of scintillator light output table
	pulse_shape_file	filename of user-defined pulse shape
	rise_time	double, rise time of the scintillator (in ns) for pulse shape
	decay_fast	double, fast decay time constant (in ns) for pulse shape
	decay_slow	double, slow decay time constant (in ns) for pulse shape
	fast_decay_weight	double, relative weight of fast decay time constant
	pulse_arrival_time	double, default 15 ns


Name	Keywords	Options
[Digitizer]		
	call	Digitizer
	digitizer_samples	int, 512
	resolution	int, 16384 default
	voltage_range	double, 2.0 V default
	ter_res	double, 50.0 ohm default
	DC_offset	double, 0.1 % default
	start_point	double, 0.1 by default
	trigger_ADC	int, 100 by default
1	rate	double, 500.e6 default (Hz)
	s_gate	double, 22 e-9 by default (22 ns)
	1_gate	double, 90e-9 by default (90 ns)
	PSD	string, no by default
	pileup	string, no by default
	digitizer_type	string, none specified by default 4

Accommodating User Defined Pulse Shapes



- The code was expanded to accommodate user-defined pulses. An example of a PSD plot produced with this option is shown above.
- Users can define pulse shapes two ways: analytic equations or with an example measured pulse as drift input

Generating Test Suites, Examples, and Unit Tests



- 2 existing test suites were cleaned up, and documented.
- 5 new test suites / examples were added for the release.
- Nuclear safeguards relevant examples include: correlated fission measurements, pile-up, cross talk, source activities, and comparisons of DRiFT with measurements (shown on left)
- Unit tests were developed to test code functionality upon installation.
- The 3 unit tests are automatically executed at the end of the installation process, and compare the output of various internal DRiFT functions against archived "truth" values generating using pre-determined inputs.



Release: Approval from FCI

- Worked with FCI to:
 - Ensure we had permissions for an external release from all DRiFT sponsors.
 - Discuss the pathways for release, i.e. source code on GitHub (as originally proposed) or another form of release.
- The FCI preferred and approved a noncommercial end-user license agreement.
- Interested users contact the developers who forward the request to FCI for review
- Approved users then receive DRiFT from leads (Madison Andrews or Cameron Bates)

Executing DRiFT version 1.0.0 - Scintillator Exectutable Release

Please direct comments and questions to: Madison Andrews, madison@lanl.gov

Authors: Madison Andrews, Cameron Bates, Edward McKigney, Austin Mullen, Surafel Woldegiorgis, Avneet Sood, Matthew Marcath

(c) 2021 Triad National Security, LLC. All right reserved. Notice: These data were produced by Triad National Security, LLC under Contract No. 89233218CNA000001 with Department of Energy/National Nuclear Security Administration. For five (5) years from August 3,2021, the Government is granted for itself and others acting on its behalf a nonexclusive, paid-up, irrevocable worldwide license in this data to reproduce, prepare derivative works, and perform publicly and display publicly, by or on behalf of the Government. There is provision for the possible extension of the term of this license. Subsequent to that period or any extension granted, the Government is granted for itself and others acting on its behalf a nonexclusive, paid-up, irrevocable worldwide license in this data to reproduce, prepare derivative works, distribute copies to the public, perform publicly and display publicly, and to permit others to do so. The specific term of the license can be identified by inquiry made to Contractor or DOE/NNSA. Neither the United States nor the United States Department of Energy/National Nuclear Security Administration, nor any of their employees, makes any warranty, express or implied, nor assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any data, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.


Los Alamos National Laboratory



Richard P. Feynman Center for Innovation

Innovation protecting tomorrow

Release – Creating a DRiFT Installer



- <u>A DRiFT executable installer is now available</u> to approved requesters.
- It contains the installer (drift-1.0.0-Linux.sh) and a README file with simple installation instructions for the user.

- In order to generate a Linux executable:
 - DRiFT dependencies on LANL's HPC cluster, ROOT, Garfield++ and MCNPTools builds were removed.
 - CPACK was used to generate a STGZ self-extracting installer
 - Remaining dependencies (HDF5 and GCC libraries) were statically linked
- The release contains 7 test suites / examples in addition to 3 unit tests.
 - The unit tests are automatically executed at the end of the install process, and compare the output of various internal DRiFT functions against archived values.



Documentation – Manual

DRiFT - RELEASE 1.0.0 ORGANIC SCINTILLATORS

DRIFT CONTRIBUTORS:


Madison Andrews*1, Cameron Bates1, Edward McKigney1 Austin Mullen1, Surafel Woldegiorgis1, Michael Rising2, Matthew Marcath1, and Avneet Sood1

> ¹XCP-7: Radiation Transport Applications ²XCP-3: Monte Carlo Codes X-Computational Physics Division Los Alamos National Laboratory *madison@lanl.gov

LAST UPDATED: SEPTEMBER 17, 2021
LOS ALAMOS NATIONAL LABORATORY TECHNICAL REPORT
LA-UR-21-29114

- Detailed 65 page manual was created with TED funds to accompany the DRiFT executable.
- The manual contains 12 chapters split into 4 parts:
 - DRiFT Overview
 - Detector Physics Scintillators
 - Additional DRiFT Features
 - Test Suites and Examples
- DRiFT executable and manual have been used by a friendly tester in nuclear safeguards in Q4 of FY21.

Documentation: Full Paper



- M.T. Andrews, A. Mullen, S. Woldegiorgis, M.E. Rising, "A DRiFT Organic Scintillator Executable for Nuclear Safeguards Applications"
- Currently in RASSTI awaiting LA-UR assignment.

- We describe DRiFT capabilities available in the executable.
- Focus on features, examples and instrument relevant to nuclear safeguards and non proliferation.
- Will submit to Journal of Nuclear Materials Management for their consideration once we receive an unlimited release number.
 - This journal will reach our target audience, nuclear safeguards professionals.



Conclusions

- A DRiFT executable has been generated for Linux OS and approved by FCI for release.
- We expanded DRiFT scintillator simulation capabilities from a single scintillator and PMT proof of concept to natively supporting many scintillator, PMT, and digitizer models relevant to current and proposed nuclear safeguards instrumentation.
 - Users can also add their own custom instrument response and define pulse shapes.
 - A manual describing installation, DRiFT use, and examples accompanies the release.
- In the future, the helium-3 gas detector capabilities developed as part of a FY21 should be released in a similar manner.

Acknowledgements

- This work was supported by Laboratory Technology Evaluation & Demonstration Funding
 - Diagnostic features in DRiFT that were also included with the release were developed with LDRD MFR funds in FY21
- We also appreciate the executable testing and feedback in FY21 performed by David Broughton in NEN-1.



References

- Andrews, M. T., Bates, C. R., Mckigney, E. A., Solomon, C. J., & Sood, A. (2016). Organic scintillator detector response simulations with DRiFT. Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 830, 466-472.
- Marcath, M. J., Andrews, M. T., Mayo, D. R., Jordan, T. A., & Rising, M. E. (2020). Experimental validation of scintillator detector response to correlated neutrons with MCNP and associated packages. *Radiation Physics and Chemistry*, 177, 109131
- Andrews, M. T., Rising, M. E., Meierbachtol, K., Talou, P., Sood, A., Bates, C. R., ... & Solomon, C. J. (2019). Characterizing scintillator detector response for correlated fission experiments with MCNP and associated packages. *Radiation Physics and Chemistry*, 155, 217-220.

